Treier, K., (433) 127
Tunik, S.P., (433) 189

Vaglio, G.A., (433) 35
Verdaguer, X., (433) 305
Visseaux, M., (433) 95
Vitkovskii, V.Y., (433) 1
Vlasov, A.V., (433) 189
Volpe, P., (433) 35
Voronkov, M.G., (433) 1

Weinberger, M., (433) 21
White, A.H., (433) 213, 223

Yun, S.-S., (433) 295

Zenk, R., (433) 107

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 433 (1992)

SUBJECT INDEX

Arsenic

Metallorganische Verbindungen der Lanthanoide. LXIX. Intramolekulare Stabilisierung der Lanthanoid–Kohlenstoff-σ-Bindung in Mono(cyclopentadienyl)lanthanoidkomplexen (H. Schumann, J.A. Meese-Marktscheffel, A. Dietrich und J. Pickardt), (433) 241

Cerium

Structural trends in bis(pentamethylcyclopentadienyl)lanthanide and yttrium complexes (W.J. Evans and S.E. Foster), (433) 79

Chromium

Mono et dinitrosation en position benzylique des complexes du benzène chrometricarbonyle. Synthèse directe d'oximes et d'hydroximates (M.-C. Senechal-Tocquer, D. Senechal, J.-Y. Le Bihan, D. Gentric, B. Caro, M. Gruselle et G. Jaouen), (433) 261

Homoleptische metallorganische Innerkomplexe des 8-Dimethylaminonaphthyl-1-Anions (H. Drevs), (433) C1

Cobalt

Camphor-derived alcohols as chiral auxiliaries for asymmetric Pauson–Khand bicyclizations. Enantioselective synthesis of α-methoxyenones (X. Verdaguer, A. Moyano, M.A. Pericàs, A. Riera, A.E. Greene, J.F. Piniella and A. Alvarez-Larena), (433) 305

Homoleptische metallorganische Innerkomplexe des 8-Dimethylaminonaphthyl-1-Anions (H. Drevs), (433) C1

Copper

Palladium- and light-enhanced ring-opening of oxiranes by copper chloride (J. Muzart and A. Riahi), (433) 323

Europium

Structural trends in bis(pentamethylcyclopentadienyl)lanthanide and yttrium complexes (W.J. Evans and S.E. Foster), (433) 79

Germanium

Gas phase ion-molecule reactions in methylgermane/oxygen, /ammonia, and /unsaturated hydrocarbon systems (L. Operti, M. Splendore, G.A. Vaglio, P. Volpe, M. Speranza and G. Occhiucci), (433) 35

Nouveaux aryldihydrogermyllithium (A. Castel, P. Rivière, J. Satgé et D. Desor), (433) 49

Gold

Stereoselective formation and reactions of tetraalkylaurates(III) (S. Komiya, S. Ozaki, I. Endo, K. Inoue, N. Kasuga and Y. Ishizaki), (433) 337

Holmium

Structural trends in bis(pentamethylcyclopentadienyl)lanthanide and yttrium complexes (W.J. Evans and S.E. Foster), (433) 79

Iridium

Geometrical isomerism arising from oxidative addition of an *o*-quinone monoimide to $IrCl(CO)(PPh_3)_2$ (P.J. Brothers, G.R. Clark, C.E.F. Rickard and H.W. Heine), (433) 203

Iron

Synthesis and characterisation of a bulky chelating bis(phosphine) ligand, 1,2-bis(di^{n}butylphosphino)-ethane (DBPE), and its iron metal coordinated complexes, $Fe(DBPE)_2Cl_2$ and $Fe(DBPE)_2(-C{\equiv}C-C_6H_5)_2$ (J. Lewis, M.S. Khan, A.K. Kakkar, P.R. Raithby, K. Fuhrmann and R.H. Friend), (433) 135

HPLC studies of $Fe_2(CO)_6$(ligand) complexes (D. Osella, O. Gambino, C. Nervi and M. Ravera), (433) 287

Homoleptische metallorganische Innerkomplexe des 8-Dimethylaminonaphthyl-1-Anions (H. Drevs), (433) C1

Lanthanides

Structural trends in bis(pentamethylcyclopentadienyl)lanthanide and yttrium complexes (W.J. Evans and S.E. Foster), (433) 79

Lanthanum

Structural trends in bis(pentamethylcyclopentadienyl)lanthanide and yttrium complexes (W.J. Evans and S.E. Foster), (433) 79

Lithium

Nouveaux aryldihydrogermyllithium (A. Castel, P. Rivière, J. Satgé et D. Desor), (433) 49

Lutetium

Structural trends in bis(pentamethylcyclopentadienyl)lanthanide and yttrium complexes (W.J. Evans and S.E. Foster), (433) 79

Metallorganische Verbindungen der Lanthanoide. LXIX. Intramolekulare Stabilisierung der Lanthanoid–Kohlenstoff-σ-Bindung in Mono(cyclopentadienyl)lanthanoidkomplexen (H. Schumann, J.A. Meese-Marktscheffel, A. Dietrich und J. Pickardt), (433) 241

Manganese

Homoleptische metallorganische Innerkomplexe des 8-Dimethylaminonaphthyl-1-Anions (H. Drevs), (433) C1

Mercury

Synthese 1,4-disubstituierter Tetrasilane durch selektive Spaltung von Si–Phenyl-Bindungen (H. Stüger), (433) 11

Metallocenes

Mehrkernige Zirkonocen-Ethylkomplexe (H.G. Alt, C.E. Denner und R. Zenk), (433) 107

Molybdenum

Reaktionen von Komplexliganden. XLVII. Darstellung von Pentacarbonyl-(Aryl- und Heteroarylcarben)-Komplexen des Molybdäns (K.H. Dötz und H. Larbig), (433) 115

Synthesis of molybdenum–triosmium cluster complexes: reaction of $(\mu\text{-}H)_2Os_3(CO)_{10}$ with $(\eta^5\text{-}C_5H_5)(CO)_2Mo{\equiv}CC_6H_4Me$ (J.T. Park, J.-J. Cho, K.-M. Chun and S.-S. Yun), (433) 295

Neodymium

Structural trends in bis(pentamethylcyclopentadienyl)lanthanide and yttrium complexes (W.J. Evans and S.E. Foster), (433) 79

Metalloligands containing samarium(III). Access to binuclear *f*-metal (samarium)–*d*-metal (rhodium) complexes (M. Visseaux, A. Dormond, M.M. Kubicki, C. Moïse, D. Baudry and M. Ephritikhine), (433) 95

Nickel

Homoleptische metallorganische Innerkomplexe des 8-Dimethylaminonaphthyl-1-Anions (H. Drevs), (433) C1

Osmium

Synthesis of molybdenum–triosmium cluster complexes: reaction of $(\mu\text{-H})_2Os_3(CO)_{10}$ with $(\eta^5\text{-}C_5H_5)(CO)_2Mo{\equiv}CC_6H_4Me$ (J.T. Park, J.-J. Cho, K.-M. Chun and S.-S. Yun), (433) 295

Palladium

Synthesis of halogeno, pseudohalogeno, and carboxylatopalladium(IV) complexes by halogen exchange. Crystal structure of azido(2,2′-bipyridyl)- benzylpalladium(II), formed on reductive elimination of ethane from $Pd(N_3)Me_2(CH_2Ph)(bpy)$ (A.J. Canty, P.R. Traill, B.W. Skelton and A.H. White), (433) 213

Conformational studies in palladium(IV) and platinum(IV) chemistry. Crystal structure of the 1,1-bis(pyrazol-1-yl)- ethane complex *fac*-$PtIMe_3\{(pz)_2CHMe\text{-}N,N'\}$ (P.K. Byers, A.J. Canty, R.T. Honeyman, B.W. Skelton and A.H. White), (433) 223

The synthesis and structural characterization of a penta-palladium cluster, $[Pd_5(\mu\text{-}SO_2)_3(\mu\text{-}CNXyl)_2(CNXyl)_5]$, with linear bridging isocyanide ligands (A.D. Burrows, H. Fleischer and D.M.P. Mingos), (433) 311

Palladium- and light-enhanced ring-opening of oxiranes by copper chloride (J. Muzart and A. Riahi), (433) 323

Phosphorus

Mehrkernige Zirkonocen-Ethylkomplexe (H.G. Alt, C.E. Denner und R. Zenk), (433) 107

Synthesis and characterisation of a bulky chelating bis(phosphine) ligand, 1,2-bis(di^{n}butylphosphino)-ethane (DBPE), and its iron metal coordinated complexes, $Fe(DBPE)_2Cl_2$ and $Fe(DBPE)_2(-C{\equiv}C-C_6H_5)_2$ (J. Lewis, M.S. Khan, A.K. Kakkar, P.R. Raithby, K. Fuhrmann and R.H. Friend), (433) 135

Synthesis and characterization of bis-(diphenylphosphinoethane)-substituted hexarhodium clusters: $Rh_6(CO)_{14}(\mu_2,\eta^2\text{-}Ph_2P(CH_2)_2PPh_2)$, $\{Rh_6(CO)_{15}\}_2(\mu_2,\eta^1:\eta^1\text{-}Ph_2P(CH_2)_2PPh_2)$ and $Rh_6(CO)_{15}(\eta^1\text{-}Ph_2P(CH_2)_2P(O)Ph_2)$. X-Ray crystal structures of $Rh_6(CO)_{15}PPh_3$ and $Rh_6(CO)_{14}(\mu_2,\eta^2\text{-}Ph_2P(CH_2)_2PPh_2)$ clusters (S.P. Tunik, A.V. Vlasov, N.I. Gorshkov, G.L. Starova, A.B. Nikol'skii, M.I. Rybinskaya, A.S. Batsanov and Y.T. Struchkov), (433) 189

Sulphurisation reactions of $P_5C_5{}^tBu_5$ and $P_5C_5{}^tBu_5H_2$: crystal and molecular structure of the ethanol adduct of $P_5C_5{}^tBu_5H_2S_3$ (R. Bartsch, P.B. Hitchcock and J.F. Nixon), (433) C11

Platinum

Conformational studies in palladium(IV) and platinum(IV) chemistry. Crystal structure of the 1,1-bis(pyrazol-1-yl)- ethane complex *fac*-$PtIMe_3\{(pz)_2CHMe\text{-}N,N'\}$ (P.K. Byers, A.J. Canty, R.T. Honeyman, B.W. Skelton and A.H. White), (433) 223

Potassium

Reactions of alkali metal macrocyclic complexes XIX. Reaction of potassium or sodium complexes with oxetane – novel route to organometallic compounds (Z. Jedliński, A. Misiołek, A. Jankowski and H. Janeczek), (433) 231

Praseodymium

Structural trends in bis(pentamethylcyclopentadienyl)lanthanide and yttrium complexes (W.J. Evans and S.E. Foster), (433) 79

Rhenium

The *cis*-{$Re(Ph_2PCH_2CH_2PPh_2)_2$}$^+$ metal centre. Synthesis and molecular structure of the dinitrile complex *cis*-[$Re(NCC_6H_4Me\text{-}4)_2(Ph_2PCH_2CH_2PPh_2)_2$][$BF_4$] (M.F.C. Guedes da Silva, M.T. Duarte, A.M. Galvão, J.J.R. Fraústo da Silva and A.J.L. Pombeiro), (433) C14

Rhodium

Metalloligands containing samarium(III). Access to binuclear *f*-metal (samarium)–*d*-metal (rhodium) complexes (M. Visseaux, A. Dormond, M.M. Kubicki, C. Moïse, D. Baudry and M. Ephritikhine), (433) 95

μ-Methylene rhodium complexes with SH ligand: synthesis and structures of [$Rh_2Cp^*_2(\mu\text{-}CH_2)_2(\mu\text{-}SH)$]$BPh_4$ and *trans*-[$Rh_2Cp^*_2(\mu\text{-}CH_2)_2(SH)_2$] ($Cp^* = \eta^5\text{-}C_5Me_5$) (Y. Ozawa, A.V. de Miguel and K. Isobe), (433) 183

Synthesis and characterization of bis-(diphenylphosphinoethane)-substituted hexarhodium clusters: $Rh_6(CO)_{14}(\mu_2,\eta^2\text{-}Ph_2P(CH_2)_2PPh_2)$, $\{Rh_6(CO)_{15}\}_2(\mu_2,\eta^1:\eta^1\text{-}Ph_2P(CH_2)_2PPh_2)$ and $Rh_6(CO)_{15}(\eta^1\text{-}Ph_2P(CH_2)_2P(O)Ph_2)$. X-Ray crystal structures of $Rh_6(CO)_{15}PPh_3$ and $Rh_6(CO)_{14}(\mu_2,\eta^2\text{-}Ph_2P(CH_2)_2PPh_2)$ clusters (S.P. Tunik, A.V. Vlasov, N.I. Gorshkov, G.L. Starova, A.B. Nikol'skii, M.I. Rybinskaya, A.S. Batsanov and Y.T. Struchkov), (433) 189

Homoleptische metallorganische Innerkomplexe des 8-Dimethylaminonaphthyl-1-Anions (H. Drevs), (433) C1

Dinuclear rhodium complexes immobilized on functionalized diphenylphosphino-(styrene-divinylbenzene) resins giving high selectivities for linear aldehydes in hydroformylation reactions (P. Kalck, E. Leandro de Oliveira, R. Queau, B. Peyrille and J. Molinier), (433) C4

Ruthenium

Fixierung von Harnstoffderivaten an einem dreikernigen Rutheniumverband: Synthese und Molekülstruktur von $(\mu_2\text{-}H)Ru_3(CO)_9(\mu_3\text{-}\eta^2\text{-}HNCONHCH{=}CHMe)$ (U. Bodensieck, J. Santiago, H. Stoeckli-Evans und G. Süss-Fink), (433) 141

Rutheniuminduzierter Abbau von Tetramethylthioharnstoff zu Carbenliganden. Synthese und Molekülstruktur der Cluster $Ru_4(\mu_2\text{-}CO)_2(CO)_{9-n}(\mu_4\text{-}S)_2[C(NMe_2)_2]_n$ ($n = 1, 2$) und $(\mu_2\text{-}H)Ru_3(CO)_9[\mu_3\text{-}SRu_3(CO)_3(\eta^2\text{-}CH_2NMeCNMe_2)$ (U. Bodensieck, H. Stoeckli-Evans und G. Süss-Fink), (433) 149

Rutheniuminduzierter Abbau von Tetramethylthioharnstoff zu Carbin- und Dicarbenliganden. Synthese und Molekülstruktur der Cluster $Ru_4(CO)_{10}(\mu_2\text{-}CNMe_2)(\mu_3\text{-}S)[\mu_3\text{-}SRu(CO)_3(\eta^2\text{-}CH_2NMeCNMe_2)]$, $Ru_5(CO)_{11}(\mu_2\text{-}CNMe_2)_2(\mu_4\text{-}S)_2$ und $Ru_4(\mu_2\text{-}CO)_3(CO)_6(\mu_4\text{-}S)_2(\eta^2\text{-}Me_2NCNMeCH_2CNMe_2)$ (U. Bodensieck, H. Stoeckli-Evans, G. Rheinwald und G. Süss-Fink), (433) 167

Selective activation of carbon-chlorine bonds by the electrophilic fragment "Cp^*Ru^+" (D. Rondon, X.-D. He and B. Chaudret), (433) C18

Samarium

Structural trends in bis(pentamethylcyclopentadienyl)lanthanide and yttrium complexes (W.J. Evans and S.E. Foster), (433) 79

Metalloligands containing samarium(III). Access to binuclear *f*-metal (samarium)–*d*-metal (rhodium) complexes (M. Visseaux, A. Dormond, M.M. Kubicki, C. Moïse, D. Baudry and M. Ephritikhine), (433) 95

Silicon

Cleavage of siloxanes with organyltrifluoro- and diorganyldifluorosilanes (M.G. Voronkov, S.V. Basenko, I.A. Gebel, V.Y. Vitkovskii and R.G. Mirskov), (433) 1

Synthese 1,4-disubstituierter Tetrasilane durch selektive Spaltung von Si–Phenyl-Bindungen (H. Stüger), (433) 11

Dehydrierende Polymerisation von Methyldisilanen mittels Metallocen-Katalyse zu den Oligomeren $Me_3Si[Me_2Si]_nSiMe_2H$, $HMe_2Si[Me_2Si]_nSiMe_2H$ mit $n = 3\text{–}9$, $H[MeSiH]_nH$ mit $n = 3\text{–}14$ und hochpolymerem Poly(methylsilan) $(MeSiH_x)_n$ (E. Hengge und M. Weinberger), (433) 21

Sodium

Reactions of alkali metal macrocyclic complexes XIX. Reaction of potassium or sodium complexes with oxetane – novel route to organometallic compounds (Z. Jedliński, A. Misiołek, A. Jankowski and H. Janeczek), (433) 231

Sulphur

Thiiran-Komplexe aus Thioketonen und $(CO)_5W{=}C(Ph)H$ bzw. aus Diphenyldiazomethan und $(CO)_5W[S{=}C(Ph)H]$ (H. Fischer, K. Treier und U. Gerbing), (433) 127

Tin

Darstellung und spektroskopische Eigenschaften der Halogen-(trifluormethyl)stannane, $(CF_3)_nSnX_{4-n}$ (R. Eujen und U. Thurmann), (433) 63

Titanium

Dehydrierende Polymerisation von Methyldisilanen mittels Metallocen-Katalyse zu den Oligomeren $Me_3Si[Me_2Si]_nSiMe_2H$, $HMe_2Si[Me_2Si]_nSiMe_2H$ mit $n = 3–9$, $H[MeSiH]_nH$ mit $n = 3–14$ und hochpolymerem Poly(methylsilan) $(MeSiH_x)_n$ (E. Hengge und M. Weinberger), (433) 21

Controlled synthesis of $(1,3\text{-}^tBu_2\text{-}C_5H_3)_2TiCl_2$ and $(1,3\text{-}^tBu_2\text{-}C_5H_3)TiCl_3$. Crystal structure and reactions of $(1,3\text{-}^tBu_2\text{-}C_5H_3)TiCl_3$ (I. Jibril, S. Abu-Orabi, S.A. Klaib, W. Imhof and G. Huttner), (433) 253

Tungsten

Thiiran-Komplexe aus Thioketonen und $(CO)_5W{=}C(Ph)H$ bzw. aus Diphenyldiazomethan und $(CO)_5W[S{=}C(Ph)H]$ (H. Fischer, K. Treier und U. Gerbing), (433) 127

Reactions of α-lithio (aminocarbene)tungsten anions with diiodoalkanes: synthesis of (μ-bis(aminocarbene))ditungsten complexes (D.W. Macomber and P. Madhukar), (433) 279

Synthesis of molybdenum–triosmium cluster complexes: reaction of $(\mu\text{-}H)_2Os_3(CO)_{10}$ with $(\eta^5\text{-}C_5H_5)(CO)_2Mo{\equiv}CC_6H_4Me$ (J.T. Park, J.-J. Cho, K.-M. Chun and S.-S. Yun), (433) 295

Ytterbium

Structural trends in bis(pentamethylcyclopentadienyl)lanthanide and yttrium complexes (W.J. Evans and S.E. Foster), (433) 79

Yttrium

Structural trends in bis(pentamethylcyclopentadienyl)lanthanide and yttrium complexes (W.J. Evans and S.E. Foster), (433) 79

Zirconium

Dehydrierende Polymerisation von Methyldisilanen mittels Metallocen-Katalyse zu den Oligomeren $Me_3Si[Me_2Si]_nSiMe_2H$, $HMe_2Si[Me_2Si]_nSiMe_2H$ mit $n = 3–9$, $H[MeSiH]_nH$ mit $n = 3–14$ und hochpolymerem Poly(methylsilan) $(MeSiH_x)_n$ (E. Hengge und M. Weinberger), (433) 21

Mehrkernige Zirkonocen-Ethylkomplexe (H.G. Alt, C.E. Denner und R. Zenk), (433) 107